



|    |                               |  |     |       |
|----|-------------------------------|--|-----|-------|
| 3  | Suction Machine               | <p>Specifications</p> <ol style="list-style-type: none"> <li>1. Max Vacuum: <math>\geq 0.09</math>MPa (680mmHg)</li> <li>2. Free airflow: <math>\geq 30</math>L/min</li> <li>3. Liquid storage bottle: 2500ml<math>\times</math>2(glass)</li> <li>4. Power supply: AC220V 50Hz</li> <li>5. Input: 280VA</li> <li>6. Dimension: 465mm<math>\times</math>425mm<math>\times</math>920mm</li> <li>7. G.W/N.W.:24.5kg/22kg 7A 23 B</li> </ol> <p><b>High Quality or equivalent and one Year Warranty.</b></p> | 28  | Piece |
| 4  | Examination Lump (AC)         | Single Reflector Halogen type , <b>High Quality and one Year Warranty .</b>  | 60  | Piece |
| 5  | Examination Trolleys          | Stainless steel Emergency trolley with four wheel , <b>High Quality</b>  | 60  | Piece |
| 6  | Dressing Trolley with Drawer  | one drawer, steel tube legs, up and down surface made of steel plate, parts can be separated and reassembled, four 75 mm casters, powdery color, technical dimensions (cm) ;82*50*70, <b>High Quality or equivalent</b>  | 60  | Piece |
| 7  | Child and infant Laryngoscope | Stainless steel with 3 blades Germany / <b>Or Equivalent and one Year Warranty</b>   | 37  | Piece |
| 8  | Otoscope                      | raster Germany / <b>Or Equivalent and one Year Warranty</b>  | 60  | Piece |
| 9  | Ultraviolet Lump              | 3 Feet length <b>High quality</b>  | 58  | Piece |
| 10 | Adult Scale                   | weight scale <b>Digital High Quality.</b>  | 50  | Piece |
| 11 | Pediatric & Infant Scales     | baby scale Digital with tray , <b>High Quality.</b>  | 74  | Piece |
| 12 | Height and weight Scale       | for adult Digital type, <b>High Quality.</b>   | 74  | Piece |
| 13 | Patient Bed ICU               | handle for rotating the angle of fee, head and body, height adjustability up to 80 cm, surface made of high quality plastic , metal frame , powder color , two aluminum bedsides, four I.V pole sockets , high quality plastic head frame , four corner bumpers, four 125mm casters , Technical dimensions (cm) 60*85*208 , <b>High Quality made in China Or Equivalent</b>  | 71  | Piece |
| 14 | Patient Bed Child             | Surface made of washable cloth or mattress, Moveable bedsides made from plastic or metal bars, four 75mm casters , handle for rotation the angle of head , four corner bumpers, Metal body , powdery color , high quality plastic head frame or metal bars, technical dimensions (cm) 146*71*138<br><b>High Quality made in China Or Equivalent</b>  | 150 | Piece |
| 15 | Baby Bed                      | surface made of bended plate, metal frame, washable mattress, two bedsides, powdery color , parts can be separated and reassembled , small and big sizes , technical dimensions (cm) 40*60*97<br><b>High Quality made in China Or Equivalent</b>   | 100 | Piece |
| 16 | Examination Table             | steady and one adjustments types, surface made of washable cloth , metal frame, parts can be separated and reassembled , powdery color , serrated pole for rotating the angle of head , technical dimensions(cm) 73*60*180<br><b>china or equivalent</b>   | 50  | Piece |
| 17 | Negate scope                  | metal frame, plug in wire , can be installed on the wall , powdery color , automatic voltage stabilizer , Electricity fuse , technical dimensions ( cm): one film 40*50*9<br><b>High Quality</b>   | 38  | Piece |
| 18 | Emergency Stretcher           | surface made of washable clothes, serrated pole for rotating the angle of head , four corner bumpers, two aluminum bedsides, four 125mm casters , I.V pole socket, oxygen cylinder holder , parts can be separated and reassembled , powdery color Technical dimensions (cm) 80*55*215<br><b>High Quality made in China Or Equivalent</b>  | 80  | Piece |

|    |  |  |    |       |
|----|--|--|----|-------|
| 19 | Tow tray Trolley                       | one drawer, steel tube legs, up and down surface made of steel plate, parts can be separated and reassembled, four 75 mm casters, powdery color, technical dimensions (cm) ;82*50*70<br><b>High Quality made in China Or Equivalent</b>  | 70 | Piece |
| 20 | Dressing Trolley with Drawer           | one drawer, steel tube legs, up and down surface made of steel plate, parts can be separated and reassembled, four 75 mm casters, powdery color, technical dimensions (cm) ;82*50*70<br><b>High Quality made in China Or Equivalent</b>  | 70 | Piece |
| 21 | Delivery light                         | MKG07 , <b>Or Equivalent</b>   | 36 | Piece |
| 22 | Bacteria light                         | 36W <b>High Quality</b>  | 50 | Piece |
| 23 | Vacuum Obs                             | Electric suction with 3 size vacuum <b>High Quality</b>  | 50 | Piece |
| 24 | Dental Surgical Instrument             | Digital <b>High Quality one Year Warranty</b>  | 27 | Set   |
| 25 | Refrigerator( electric) for drugs      | complete set and 300 to 360 liters and double Door, <b>High Quality and one Year Warranty</b>  | 60 | Set   |
| 26 | Refrigerator for mortuary (death body) | complete set for Three Death body, <b>High Quality or equivalent</b><br><b>Note:</b> Installation Warranty for 1 years<br><b>Technical notes: following points must be noted:</b> <ul style="list-style-type: none"> <li>• ISO 9001:2000 or CE certificates</li> <li>• Post-sale service must be provided within 3 days from malfunctioning report.</li> </ul>   | 60 | Set   |
| 27 | Orthopedic bed                         | <b>Model: HF1853 - Orthopedic Bed or Equivalent</b> <ul style="list-style-type: none"> <li>• Orthopedic bed with mechanically operated back rest &amp; knee rest by crank mechanism.</li> <li>• Size: 2140 × 940 × 500 mm.</li> <li>• Epoxy coated frame work with beautiful ABS panels. 4 section perforated top.</li> <li>• Balkan Frame (made of aluminum) with monkey bars and monkey chains.</li> <li>• Collapsible side railings.</li> <li>• Four swivel castor (all with individual brakes).</li> <li>• Provision for I.V. Rod.</li> <li>• Freight saving knock-down construction. <ul style="list-style-type: none"> <li>• <b>Note:</b> Installation Warranty for 1 years</li> <li>• Brochure</li> </ul> </li> </ul> | 15 | Piece |
| 28 | Ear Speculum                           | General Description:<br>Speculum, ear, Gruber, set of 4 sizes.<br>Technical Specifications:<br>Specula ear, Gruber, set of 4 sizes:<br>Size 1: 4.5 mm, Size 2: 5.5 mm(>,<)><br>Size 3: 6.5 mm, Size 4: 7.5 mm.<br>Brass chromium plated.<br>See Martin Catalogue no. 36-127-04.<br>Instructions for use:<br>For ear examination / treatment.<br><b>High Quality or equivalent One Year Warranty</b>  | 10 | Piece |
| 29 | ENT Headlamp                           | Cordless lightweight headlight with a 3 watt LED, especially suitable for mobile purposes and ENT-examinations. Same features as ReddyLite II but with whiter, brighter LED illumination.  | 12 | Piece |

|    |                         |   |    |       |
|----|-------------------------|---|----|-------|
|    |                         | <p>Technical Data:<br/> Colour temperature: approximately 5,500 °K<br/> Multiple position swivel head - 180° rotation, made of Xenoy® chemical resistant resin. Includes adjustable comfortable elasticated Velcro® heads trap. Colour: Black<br/> Includes 2 AA size 1.5V batteries.<br/> Weight: 180g (with batteries and head strap) or <b>equivalent</b><br/> <b>High Quality One Year Warranty</b></p>   |    |       |
| 30 | Examination lamp        | Smew L751 Single Bolb Halogen light <b>One Year Warranty Or Equivalent</b>  | 7  | Piece |
| 31 | Manual Vacuum Aspirator | <p>General Description—<br/> Manual vacuum aspirator for evacuation of uterus<br/> Specifications:<br/> Double valve type manually operated vacuum aspirator, comprising 60 ml calibrated barrel, plunger cum piston rod.<br/> Ergonomic Handle. Black rubber piston, creating vacuum above 650mm/hg<br/> Hinged, lockable double valve assembly<br/> All Autoclavable; No. 8 Cannula Adapters size 4mm-12mm; # 1 collar stop clip with spare.<br/> <b>High Quality or equivalent</b></p>   | 10 | Piece |
| 32 | Wheelchair, adult       | <p>Wheelchair, adult Technical Specifications:<br/> Wheelchair for adult.<br/> Fitted with four heavy duty ball bearing wheels.<br/> Front wheels free rolling, 360 degrees' swivel.<br/> Both rear wheels with break.<br/> Foot lever, integrated in frame, facilitates tilting the wheelchair.<br/> The two handles at the rear are fitted with plastic rims.<br/> Prefixed swing-away foot supports for easy step on/off.<br/> Armrests, seat and back are upholstered.<br/> Material:<br/> Must be resistant to corrosion and decontamination (ref. to chlorine solution).<br/> Frame: Chip-proof chrome plated steel.<br/> Seat, back and armrests: Disinfectant (chlorine) resistant synthetic upholstery such as plastic or vinyl.<br/> Tires: Heavy duty solid rubber.<br/> Dimensions: Seat: Approx. 450 x 400 mm (w x d).<br/> Back support: Approx. 450 x 450 mm (w x h).<br/> Wheels: Approx. diameter 200 mm.<br/> Carrying capacity: Approx. 110 kg.<br/> Knockdown construction.<br/> Supplied with:<br/> Clear instructions/diagrams for assembly.<br/> List of accessories/parts and specific tools for assembly mm (w x d).<br/> Back support: Approx. 450 x 450 mm (w x h).<br/> Wheels: Approx. diameter 200 mm.<br/> Carrying capacity: Approx. 110 kg.<br/> Knockdown construction.</p> | 67 | Piece |

|    |  |  |    |       |
|----|--|--|----|-------|
|    |  | <p>Supplied with:<br/> Clear instructions/diagrams for assembly.<br/> List of accessories/parts and specific tools for assembly<br/> mm (w x d).<br/> Back support: Approx. 450 x 450 mm (w x h).<br/> Wheels: Approx. diameter 200 mm.<br/> Carrying capacity: Approx. 110 kg.<br/> Knockdown construction.</p> <p>Supplied with:<br/> Clear instructions/diagrams for assembly.<br/> List of accessories/parts and specific tools for assembly<br/> <b>China or equivalent Installation &amp; Warranty for 1 years</b></p>   |    |       |
| 33 | ICU BED WITH OVER BED TABLE and mattress | <p><b>Model:BDE208(3FUNCTION ELECTRIC BED) OR Equivalent.</b></p> <ul style="list-style-type: none"> <li>• four section mattress base</li> <li>• Have X-Ray translucent back section made up of high pressure laminate.</li> <li>• Have X-Ray cassette holder underneath the back section &amp; should allow insertion of X-Ray cassette from either side of the bed.</li> <li>• Base frame &amp; support frame should be made up of steel for long life &amp; prevention from rusting.</li> <li>• Should have steeples electrical adjustment for the following:-<br/> Height:450-840mm<br/> Backsection:0-50degrees<br/> Leg Section : 0-30 degrees</li> <li>• Have-steeples-pneumatic-adjustment-for Trendelenburg (20-25° approx.), anti-Trendelenburg (10-15° approx.)</li> <li>• have a manual quick release mechanism for back section adjustment during emergency situation</li> <li>• equipped with four articulated half-length tuck away side rails</li> <li>• equipped with large castors (diameter 150 mm) with central braking and steering facility</li> <li>• Mattress of the Bed should be made up of high density foam with Anti-Microbial agent incorporated into all components that assists in Prohibiting growth of bacteria &amp; fungi and easy to clean, and should be fully Radiolucent for ease in performing portable X-Rays.</li> <li>• Bumpers at all four corners and place for fixing accessories.</li> <li>• Frame work made of rectangular M.S. tube perforated CRC sheet top in four sections</li> <li>• Back rest, knee rest, TB/RTB and hi-lo positions obtained by electric actuator operate by hand remote system ABS molded head and foot bows</li> <li>• Aluminum collapsible safety side railings</li> <li>• Telescopic IV rod with four locations</li> <li>• Bed mounted on 125 mm diameter castor-two with brakes</li> <li>• Overall size: 21 (L) x 90 (W) x 60-80 (H) cm or (standard size )</li> <li>• Finish: Epoxy powder coated</li> </ul> <p>Mattress Size : appropriate as per bed size<br/> Power input to be 220-240VAC, 50Hz as appropriate fitted with local plug.<br/> Options for each bed<br/> Mayo over bed table Movable chair Pillows.</p> <ul style="list-style-type: none"> <li>• <b>Note:</b> Installation Warranty for 1 years.</li> <li>• Brochure</li> </ul> | 56 | Piece |

|    |                     |   |  |  |
|----|---------------------|---|--|--|
|    |                     |   |  |  |
| 34 | Electric tourniquet | <p>System with hose and battery backup.<br/> Should have option for Bier's block and bilateral procedures.<br/> Seven sizes of cuffs should meet individual requirement of thin and fat patient, for arm &amp; thigh.<br/> Small and Light Weight.<br/> Audible and Visual alarms when there is an unsafe condition.<br/> Unit should perform self-calibration check every time it is turned on.<br/> Cuff with lockout features, which should ensure that the cuff stays inflated even if unit is turned off.<br/> Sizes of cuffs to be supplied with the system:<br/> <b>High Quality or equivalent and one Year Warranty .</b></p> |  |  |